



DuraFab® Industrial Fabrics

Coating: PTFE
Substrate: Fiberglass
Rating: 550°F



Description

DuraFab® Industrial Fabrics are the general workhorse of AFC's product line. The 20 series fabric is engineered to serve a broad range of industrial and general-purpose applications, and offers an excellent balance of heat transfer, release, and flexibility. This fabric contains an optimal PTFE content that leaves a minimal impression in all applications.

Common Applications



Packaging



Food Products



Aerospace,
Communications
& Military

20 Series Products

Product ID	Nominal Thickness (in)	Weight (lbs/sq yard)	Tensile Warp (lbs/sq yard)	Tensil Fill (lbs/inch)	Tear Warp (oz)	Tear Fill (oz)	Fill Widths (in)
20-03	0.003	0.26	66	75	15	10	40,80
20-05	0.005	0.46	163	143	64	67	40,80
20-06	0.006	0.58	135	125	46	47	40,80
20-07	0.007	0.64	185	80	55	60	40,80
20-10	0.010	0.91	200	160	70	60	40,80
20-11	0.011	1.00	200	160	70	60	40,80
20-14T	0.014	1.25	320	230	130	110	40,80
20-19	0.019	1.45	360	280	155	90	40,80
20-25	0.025	1.50	520	470	225	225	40,80
20-28	0.028	1.95	360	310	225	225	40,80
20-33	0.033	1.95	560	550	225	225	40,80



Quality Statement: AFC products are free of BPA, PFOA, Phthalates, and elements regulated by RoHS and all its considerations, REACH, and Dodd-Frank Sec. 1502. FDA compliance is met per FFDCFA provisions set forth in 21CFR Parts 170-199.

All performance details listed are nominal values from baseline trends, validated in testing, and optimized for performance. Data is a guideline, not a contract specification. AFC Inc. makes use recommendations based on experience and testing. It is the responsibility of the end user to determine the suitability of this product in a given application.

14 Walter Court
Lake in the Hills, IL 60156

1-800-334-9372

sales@afcmaterials.com | afcmaterials.com

